



Fixture Type
Materials
Finish

Specialty Linear Systems
Metal
Matt black

Lamp Type
Lamp Quantity
Lamp Included
Wattage
Input Voltage
Delivered Lumens
Kelvin
CRI
Power S Type
Power S Quantity
Power S Location
Dimming Type


LED
1
Yes
90 W
24 VDC
11184
2700 K
90
Driver
1
Remote
DALI / 1-10V

Designer

Davide Groppi

Listings

ETL
DRY



The Euclidean representations of the Fundamental States of light:
direct, indirect and diffuse.

The possibility to take light anywhere, freely,
without any electrical constraints.

Each product lives its own life, but can be integrated and blended with
others. **Endless** can be used to power **Infinito, Flash, Ohm**.

Technology helps to break down the boundaries.

Intangible, almost invisible materials, hidden, camouflages conductors,
thin cobwebs of filaments that carry and draw the light.

Light running on digital tracks, ultra-light and almost invisible wires,
modular tapes that can be laid limitlessly on
stairs, windows, glass panels.

Circuit that close, accent lighting, ultra-light diodes.

Different, modular and compatible products together with Endless.


All this is part of out Sistemi.

1A2260403.27.05	MATT BLACK - 2700K - DIM	INFINITO 12 - REMOTE KIT 24 V DC - MAX 90 W LED 2700K - 11184 lm - CRI>90 / 3000K - 11400 lm - CRI>90 LED MODULE 12 m / 472.44" LONG - HARMONIC STEEL STRIP 19 mm / 0.74" WIDE CAN BE CUT EVERY 48,3 mm / 1.90" - LENGHTS AVAILABLE ON REQUEST 18 m - 24 m / 708.66" - 944.88" INCLUDES INDEPENDENT POWER SUPPLY KIT INPUT 120 V - 60 Hz DALI - PUSH - 0/1-10 V - TRIAC/IGBT DIMMABLE OPTIONAL ACCESSORIES NOT INCLUDED
1A2260403.30.05	MATT BLACK - 3000K - DIM	



1A2260403.27.06	MATT BLACK - 2700K	INFINITO 12 - PLUG KIT 24 V DC - MAX 90 W LED 2700K - 11184 lm - CRI>90 / 3000K - 11400 lm - CRI>90 LED MODULE 12 m / 472.44" LONG - HARMONIC STEEL STRIP 19 mm / 0.74" WIDE CAN BE CUT EVERY 48,3 mm / 1.90" - LENGHTS AVAILABLE ON REQUEST 18 m - 24 m / 708.66" - 944.88" INCLUDES INDEPENDENT POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz DIMMER OPTIONAL ACCESSORIES NOT INCLUDED
1A2260403.30.06	MATT BLACK - 3000K	



**INFINITO 6 / FLASH 6 / INFINITO 12 / FLASH 12
DRIVER DIMENSION**





CONTROLLER DIMENSION



POWER SUPPLY KIT WITH PLUG

**INFINITO 6 / FLASH 6 / INFINITO 12 / FLASH 12
POWER KIT WITH PLUG - DIMENSION**




OPTIONAL ACCESSORIES


1A0080400.00.00	MATT BLACK	CEILING CONNECTION KIT	
1A3440303.00.00	MATT WHITE	WALL AND CEILING ROSE COMPULSORY FOR CEILING ELECTRICAL CONNECTIONS	
1A3440403.00.00	MATT BLACK		
1A0120400.00.00	MATT BLACK	KIT WALL CONNECTION VERTICAL SLOPED 45°	
1A0340400.00.00	MATT BLACK	KIT WALL CONNECTION SLOPED RIGHT 75°	
1A0350400.00.00	MATT BLACK	KIT WALL CONNECTION SLOPED LEFT 75°	
1A0290400.00.00	MATT BLACK	SWALLOWS FOR INFINITO ONLY	
1A0800400.00.00	MATT BLACK	SWALLOWS FOR FLASH ONLY	




1A0080400.00.00 - CEILING CONNECTION KIT



1A0080400.00.00 - CEILING CONNECTION KIT + 1A0120400.00.00 - KIT WALL CONNECTION VERTICAL SLOPED 45°



1A0120400.00.00 - KIT WALL CONNECTION VERTICAL SLOPED 45°



1A0340400.00.00 - 1A0350400.00.00 KIT WALL CONNECTION SLOPED 75°

