



Fixture Type  
Materials  
Finish

Garden Fixture  
Aluminium  
Alu Grey  
\*consult factory for other finishes

Lamp Type  
Lamp Quantity  
Lamp Included  
Wattage  
Input Voltage  
Delivered Lumens  
Kelvin  
CRI  
Power S Type  
Power S Quantity  
Power S Location  
Dimming Type


LED  
1  
Yes  
7.1W  
120V  
456  
3000K  
90  
Driver  
1  
Integral  
ELV

Designer

Delta

Listings

ETL  
WET





Monopol takes on the shape of a narrow beam that is open at the front, producing a very focused spread of light on the ground. This minimalistic straightforward luminaire comes in two sizes, but only in LED.

| Specification  |       |
|----------------|-------|
| Adjustability: | Fixed |
| Rating:        | IP55  |

| Performance      |             |
|------------------|-------------|
| LED Maintenance: | L90<50,000h |
| CRI:             | 90          |
| *SP:             | 7.1W        |

| Delivered Lumens: | 3000K | 3500K |
|-------------------|-------|-------|
| Monopol:          | 456Lm | 470Lm |

### Listing

ETL certified to US and Canadian safety standards.

### Warranty

5-year limited warranty.

## Ordering

ALL BOXES MUST BE FILLED IN TO CORRECTLY ORDER

Example: MPL2-SP30FX-N-PLINCD8-120

| Luminaire      | Height            | Power*               | CCT         | Function                             | Finish         | Installation       | Application                  | Controls***               |
|----------------|-------------------|----------------------|-------------|--------------------------------------|----------------|--------------------|------------------------------|---------------------------|
| MPL<br>Monopol | 2<br>260mm / 10¼" | SP<br>Standard Power | 30<br>3000K | FX<br>Fixed Bollard,<br>Exterior Use | A<br>Alu Grey  | DM<br>Direct Mount | INC<br>Integral Power Supply | D8-120<br>FE ELV dim 120V |
|                | 7<br>700mm / 27½" |                      | 35<br>3500K |                                      | N<br>Dark Grey |                    |                              |                           |
|                |                   |                      |             |                                      |                | PL<br>Plate Mount  |                              |                           |

\*\*\* Contact factory for additional dimming options

## Finish Options

### MONOPOL 2



LULA LUMINAIRE LLC  
2361-B S. Robertson Blvd.  
Los Angeles, CA. 90032  
424.333.0054  
info@lula.biz





## Driver Options

### D8

---

- Dimming Control           Phase Control
- Dimming Range            10-100%
- Dim to off                 no
- Power Factor @ Full Load >0.9
- Efficiency @ Full Load    ≥80
- THD @ Full Load         <5%

### Dimmer Compatibility

- Leviton IPE04-1LZ
- Lutron DVELV-300P

As technology changes, please use information above as guidance. For most recent updated information please contact factory. Specifications subject to change without notice.

